

ROGEENA FIRE FIGHTING EQUIPMENT

PORTABLE CO₂ FIRE EXTINGUISHER (CARBON-STEEL)



Type		1.3KG	2KG	2.3KG	3KG
Item No.		RF01-01	RF01-02	RF01-03	RF01-04
Out-Diameter(mm)		? 108	? 114.3	? 114.3	? 114.3
Volume(L)		2	3	3.45	4.5
Cylinder Length(mm)		330	420	480	610
Cylinder Weight(kg)		4	6.3	7	8.7
Extinguisher Weight(kg)		5.9	9.1	9.8	12.5
Co ₂ filled Weight(kg)		1.3	2	2.3	3
Working Pressure(Bar)		150	150	150	150
Test Pressure(Bar)		250	250	250	250
Min Wall-Thickness(mm)		4.5	4.5	4.5	4.5
Material		CK45	CK45	CK45	CK45
Packing Size(cm)	Cylinder	13×13×35	14×14×44	14×14×50	14×14×63
	Complete	16×13×46	18×14×55	18×14×61	18×14×73

ROGEENA FIRE FIGHTING EQUIPMENT

PORTABLE CO₂ FIRE EXTINGUISHER (CARBON-STEEL)



Type	4.5KG	5KG	6.0KG	7KG	
Item No.	RF01-05	RF01-06	RF01-07	RF01-08	
Out-Diameter(mm)	? 152	? 152	? 152	? 152	
Volume(L)	6.75	7.5	9	10.5	
Cylinder Length(mm)	520	580	700	775	
Cylinder Weight(Kg)	12.4	13.5	16	17.8	
Extinguisher Weight(Kg)	18.1	19.7	23.5	26	
Co ₂ filled Weight(Kg)	4.5	5	6	7	
Working Pressure(Bar)	150	150	150	150	
Test Pressure(Bar)	250	250	250	250	
Min Wall-Thickness(mm)	5.5	5.5	5.5	5.5	
Material	CK45	CK45	CK45	CK45	
Packing Size(cm)	Cylinder	17×17×54	17×17×60	17×17×72	17×17×79
	Complete	23×17×67	23×17×70	23×17×80	23×17×90

ROGEENA FIRE FIGHTING EQUIPMENT

PORTABLE CO₂ FIRE EXTINGUISHER (ALLOY-STEEL)



Type	1.3KG	2KG	2.3KG	3KG	4.5KG	
Item No.	RF02-01	RF02-02	RF02-03	RF02-04	RF02-05	
Out-Diameter(mm)	? 105	? 105	? 105	? 138	? 138	
Volume(L)	2	3	3.45	4.5	6.75	
Cylinder Length(mm)	355	480	520	440	600	
Cylinder Weight(Kg)	4.2	4.8	5.7	6.7	8.6	
Extinguisher Weight(Kg)	6.2	7.4	8.8	10.6	14.6	
Co ₂ filled Weight(Kg)	1.3	2	2.3	3	4.5	
Working Pressure(Bar)	150	150	150	150	150	
Test Pressure(Bar)	250	250	250	250	250	
Min Wall-Thickness(mm)	2.3	2.3	2.3	3	3	
Material	34CrMo4	34CrMo4	34CrMo4	34CrMo4	34CrMo4	
Packing Size(cm)	Cylinder	12×12×37	12×12×51	2×12×54	15×15×46	15×15×62
	Complete	17×13×47	17×13×62	17×13×64	20×15×56	22×15×72

ROGEENA FIRE FIGHTING EQUIPMENT

PORTABLE CO₂ FIRE EXTINGUISHER (ALLOY-STEEL)



Type	5KG	6.8KG	7KG	9KG	
Item No.	RF02-06	RF02-07	RF02-08	RF02-09	
Out-Diameter(mm)	? 138	? 165	? 168	? 168	
Volume(L)	7.5	10.2	10.5	13.5	
Cylinder Length(mm)	655	630	650	830	
Cylinder Weight(Kg)	9.3	12.8	13.25	20	
Extinguisher Weight(Kg)	15.2	20.6	21.7	30.5	
CO ₂ filled Weight(Kg)	5	6.8	7	9	
Working Pressure(Bar)	150	150	150	150	
Test Pressure(Bar)	250	250	250	250	
Min Wall-Thickness(mm)	3	4.4	5.5	5.5	
Material	34CrMo4	34Mn2V	34Mn2V	34Mn2V	
Packing Size(cm)	Cylinder	15×15×67	18×18×65	19×19×67	19×19×85
	Complete	22×15×79	22×18×75	24×19×77	24×19×95

ROGEENA FIRE FIGHTING EQUIPMENT

PORTABLE CO₂ FIRE EXTINGUISHER (ALUMINIUM-ALLOY)



Type	1.3KG	2KG	2.3KG	
Item No.	RF03-01	RF03-02	RF03-03	
Out-Diameter(mm)	? 111	? 111	? 120	
Volume(L)	1.95	3	3.45	
Cylinder Length(mm)	350	485	455	
Cylinder Weight(Kg)	2.10	3.20	3.52	
Extinguisher Weight(Kg)	4.3	6	6.5	
Co ₂ filled Weight(Kg)	1.3	2	2.3	
Working Pressure(Bar)	150	150	150	
Test Pressure(Bar)	250	250	250	
Min Wall-Thickness(mm)	6.32	6.32	6.83	
Material	AA6061	AA6061	AA6061	
Packing Size(cm)	Cylinder	13×13×37	13×13×50	14×14×48
	Complete	16×13×48	16×13×60	18×14×59

ROGEENA FIRE FIGHTING EQUIPMENT

PORTABLE CO₂ FIRE EXTINGUISHER (ALUMINIUM-ALLOY)



Type	3KG	4KG	4.5KG	5KG	
Item No.	RF03-04	RF03-05	RF03-06	RF03-07	
Out-Diameter(mm)	? 120	? 140	? 140	? 159	
Volume(L)	4.5	6	6.75	7.5	
Cylinder Length(mm)	605	600	635	600	
Cylinder Weight(Kg)	4.58	6.7	7.5	9	
Extinguisher Weight(Kg)	8.5	12	13.2	15.5	
CO ₂ filled Weight(Kg)	3	4	4.5	5	
Working Pressure(Bar)	150	150	150	150	
Test Pressure(Bar)	250	250	250	250	
Min Wall-Thickness(mm)	6.83	7.97	7.97	9.03	
Material	AA6061	AA6061	AA6061	AA6061	
Packing Size(cm)	Cylinder	14×14×62	15.5×15.5×62	15.5×15.5×35	16.5×16.5×62
	Complete	18×14×73	22×15.5×73	22×15.5×76	23×16.5×73

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER



Type	0.5KG	1KG	2KG	2.3KG	3KG	
Item No.	RF04-01	RF04-02	RF04-03	RF04-04	RF04-05	
Out-Diameter(mm)	? 74	? 85	? 110	? 110	? 130	
Volume(L)	0.63	1.25	2.5	2.88	3.75	
Cylinder Length(mm)	210	270	310	355	410	
Cylinder Weight(Kg)	0.4	0.56	1.18	1.27	1.31	
Extinguisher Weight(Kg)	1.4	1.75	3.5	4.05	4.5	
Dry Powder Filled Weight(Kg)	0.5	1	2	2.3	3	
Working Pressure(Bar)	12	12	12	12	12	
Test Pressure(Bar)	25	25	25	25	25	
Min Wall-Thickness(mm)	0.75	0.79	1.07	1.07	1.14	
Material	St12	St12	St12	St12	St12	
Fire Class	ABC	3A21BC	5A21BC	8A34BC	8A34BC	8A55BC
	BC	21BC	21BC	34BC	34BC	55BC
Packing Size(cm)	9×9×30	10×10×36	13×13×40	13×13×45	15×15×50	

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER



Type	4KG	4.5KG	5KG	6KG	
Item No.	RF04-06	RF04-07	RF04-08	RF04-09	
Out-Diameter(mm)	? 130	? 150	? 150	? 160	
Volume(L)	4.5	5.65	6.25	7.5	
Cylinder Length(mm)	430	375	405	450	
Cylinder Weight(Kg)	1.55	2.1	2.23	2.44	
Extinguisher Weight(Kg)	5.9	7.2	7.65	8.85	
Dry Powder Filled Weight(Kg)	4	4.5	5	6	
Working Pressure(Bar)	12	12	12	12	
Test Pressure(Bar)	25	25	25	25	
Min Wall-Thickness(mm)	1.14	1.2	1.2	1.24	
Material	ST12	ST12	ST12	ST12	
Fire Class	ABC	13A70BC	13A70BC	13A89BC	21A113BC
	BC	70BC	70BC	89BC	113BC
Packing Size(cm)	15×15×52	17×17×47	17×17×50	18×18×55	

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER



Type	8KG	9KG	10KG	12KG	
Item No.	RF04-10	RF04-11	RF04-12	RF04-13	
Out-Diameter(mm)	? 163	? 180	? 180	? 180	
Volume(L)	10	11.25	12.5	15	
Cylinder Length(mm)	510	510	565	645	
Cylinder Weight(Kg)	4.39	4.58	4.95	5.2	
Extinguisher Weight(Kg)	13.1	14	15.5	17.8	
Dry Powder Filled Weight(Kg)	8	9	10	12	
Working Pressure(Bar)	12	12	12	12	
Test Pressure(Bar)	25	25	25	25	
Min Wall-Thickness(mm)	1.25	1.3	1.3	1.3	
Material	ST12	ST12	ST12	ST12	
Fire Class	ABC	21A113BC	27A144BC	34A144BC	43A183BC
	BC	113BC	144BC	144BC	183BC
Packing Size(cm)	18.8×18.5×60	21×21×60	21×21×66	21×21×74	

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER (ALUMINUM)



Type		1KG	2KG
Item No.		RF04-14	RF04-15
Out-Diameter(mm)		? 85	? 108
Volume(L)		1.25	2.5
Cylinder Length(mm)		290	345
Cylinder Weight(Kg)		0.36	0.72
Extinguisher Weight(Kg)		1.80	3.20
Dry Powder Filled Weight(Kg)		1	2
Working Pressure(Bar)		12	12
Test Pressure(Bar)		25	25
Min Wall-Thickness(mm)		1.4	1.75
Material		1050	1050
Fire Class	ABC	5A21BC	8A34BC
	BC	21BC	34BC
Packing Size(cm)		10×10×38	11.5×11.5×44

ROGEENA FIRE FIGHTING EQUIPMENT

WHEELED CO₂ FIRE EXTINGUISHER



Type	10KG	20KG	25KG
Item No.	RF05-01	RF05-02	RF05-03
Out-Diameter(mm)	? 152	? 219	? 219
Volume(L)	15	33.5	40
Cylinder Length(mm)	1070	1160	1360
Cylinder Weight(kg)	22.4	49	56
Extinguisher Weight(kg)	42	106.4	114.4
CO ₂ filled Weight(kg)	10	20	25
Working Pressure(Bar)	150	150	150
Test Pressure(Bar)	225	225	225
Min Wall-Thickness(mm)	5.5	5.7	5.7
Material	CK45	34Mn2V	34Mn2V
Packing Size(cm)	30×28×120	70×48×150	65.5×48×156

ROGEENA FIRE FIGHTING EQUIPMENT

WHEELED CO₂ FIRE EXTINGUISHER



Type	30KG	50KG(TowCylinders)
Item No.	RF05-04	RF05-05
Out-Diameter(mm)	? 232	? 219
Volume(L)	48	60
Cylinder Length(mm)	1400	1360
Cylinder Weight(kg)	57	102
Extinguisher Weight(kg)	130	195
Co ₂ filled Weight(kg)	30	50
Working Pressure(Bar)	150	150
Test Pressure(Bar)	225	225
Min Wall-Thickness(mm)	5.7	5.7
Material	34Mn2V	34Mn2V
Packing Size(cm)	64×46×150	65.5×92×156

ROGEENA FIRE FIGHTING EQUIPMENT

WHEELED DAY POWDER FIRE EXTINGUISHER



Type	25KG	35KG	50KG
Item No.	RF06-01	RF06-02	RF06-03
Out-Diameter(mm)	? 320	? 320	? 320
Volume(L)	30	41	59
Cylinder Length(mm)	500	640	940
Cylinder Weight(kg)	29.7	33	40
Extinguisher Weight(kg)	65	78	100
Dry Powder Filled Weight(kg)	25	35	50
Working Pressure(Bar)	15	15	15
Test Pressure(Bar)	25	25	25
Min Wall-Thickness(mm)	3	3	3
Material	B440HP	B440HP	B440HP
Packing Size(cm)	43.5×44.5×83.5	42×40×87	53×47×92

ROGEENA FIRE FIGHTING EQUIPMENT

WHEELED DAY POWDER FIRE EXTINGUISHER



Type	75KG	100KG
Item No.	RF06-04	RF06-05
Out-Diameter(mm)	? 406	? 406
Volume(L)	88.5	125
Cylinder Length(mm)	866	1156
Cylinder Weight(kg)	52	60
Extinguisher Weight(kg)	137	170
Dry Powder Filled Weight(kg)	75	100
Working Pressure(Bar)	15	15
Test Pressure(Bar)	25	25
Min Wall-Thickness(mm)	3	3
Material	B440HP	B440HP
Packing Size(cm)	42×40×110	63×53×118

ROGEENA FIRE FIGHTING EQUIPMENT

HANGING DAY POWDER FIRE EXTINGUISHER



Type	4.5KG	6KG	12KG
Item No.	RF07-01	RF07-02	RF07-03
Out-Diameter(mm)	? 150	? 300	? 340
Volume(L)	5.5	7.3	14.6
Cylinder Length(mm)	260	215	240
Cylinder Weight(kg)	2	2.7	4.2
Extinguisher Weight(kg)	6.8	9	16.8
Dry Powder Filled Weight(kg)	4.5	6	12
Working Pressure(Bar)	12	12	12
Test Pressure(Bar)	25	25	25
Min Wall-Thickness(mm)	1.3	1.3	1.3
Material	St14(08AL)	St14(08AL)	St14(08AL)
Packing Size(cm)	16.5×16.5×30	32×32×28	36×36×30

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER (STAINLESS-ALLOY CYLINDER)



Type	1KG	2KG	4KG
Item No.	RF07-04	RF07-05	RF07-06
Out-Diameter(mm)	? 75(85)	? 100(108)	? 130
Volume(L)	1.25	2.5	4.5
Cylinder Length(mm)	285	325	450
Cylinder Weight(kg)	0.55	1.1	1.8
Extinguisher Weight(kg)	2.1	3.6	6.3
Dry Powder Filled Weight(kg)	1	2	4
Working Pressure(Bar)	12	12	12
Test Pressure(Bar)	25	25	25
Min Wall-Thickness(mm)	0.8	1	1.2
Material	304	304	304
Packing Size(cm)	9×9×38	11.5×11.5×42	15×15×55

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER WITH EXTERNAL GAS CARTRIDGE



Type	6kg	10kg	12kg
Item No.	RF08-01	RF08-02	RF08-03
Out-Diameter(mm)	? 160	? 180	? 180
Volume(L)	7.3	12.2	14.65
Cylinder Length(mm)	440	580	635
Cylinder Weight(kg)	2.4	5	5.6
Extinguisher Weight(kg)	10.7	17.5	20.5
Dry Powder Filled Weight(kg)	6	10	12
CO ₂ Filled Weight In Cartridge(kg)	0.12	0.20	0.25
Min Wall-Thickness(mm)	1.24	1.3	1.3
Material	St12	St12	St12
Packing Size(cm)	28×18×48	31×20×60	31×20×66

ROGEENA FIRE FIGHTING EQUIPMENT

DRY POWDER FIRE EXTINGUISHER WITH INTERNAL GAS CARTRIDGE



Type	4KG	6KG	12KG
Item No.	RF08-04	RF08-05	RF08-06
Out-Diameter(mm)	? 130	? 160	? 180
Volume(L)	5	7.5	15
Cylinder Length(mm)	430	450	645
Cylinder Weight(kg)	1.55	2.5	5.2
Extinguisher Weight(kg)	6.7	8.7	17.5
Dry Powder Filled Weight(kg)	4	6	12
CO ₂ Filled Weight In Cartridge(kg)	0.09	0.12	0.25
Min Wall-Thickness(mm)	1.14	1.24	1.3
Material	St12	St12	St12
Packing Size(cm)	15×15×52	18×18×55	21×21×74

ROGEENA FIRE FIGHTING EQUIPMENT

FOAM FIRE EXTINGUISHER



Type	3L	6L	9L
Item No.	RF09-01	RF09-02	RF09-03
Out-Diameter(mm)	? 130	? 180	? 180
Cylinder Length(mm)	350	410	520
Cylinder Weight(kg)	1.5	2.9	3.7
Extinguisher Weight(kg)	5	9.5	13.2
Working Pressure(Bar)	12	12	12
Test Pressure(Bar)	25	25	25
Min Wall-Thickness(mm)	1.14	1.3	1.3
Material	St12	St12	St12
Packing Size(cm)	15×15×47	21×21×53	21×21×64

ROGEENA FIRE FIGHTING EQUIPMENT


FOAM FIRE EXTINGUISHER (STAINLESS-ALLOY CYLINDER)



Type	3L	4L	6L	9L
Item No.	RF09-04	RF09-05	RF09-06	RF09-07
Out-Diameter(mm)	? 130	? 130	? 180	? 180
Cylinder Length(mm)	350	450	410	540
Cylinder Weight(kg)	1.5	1.8	2.3	2.9
Extinguisher Weight(kg)	4.8	6.3	8.8	12.5
Working Pressure(Bar)	12	12	12	12
Test Pressure(Bar)	25	25	25	25
Min Wall-Thickness(mm)	1	1.2	1.2	1.5
Material	304	304	304	304
Packing Size(cm)	15×15×47	15×15×57	21×21×53	21×21×66

ROGEENA FIRE FIGHTING EQUIPMENT

WHEELED POWDER FIRE EXTINGUISHER WITH EXTERNAL CO₂ CARTRIDGE



MODEL NO.	RF09-08	RF09-09
Capacity	50KG	100KG
Hose Length	5m	5m
Overall Height	940mm	1156mm
Overall Width	4340mm	5200mm
Tatol Weight	100KGS	170KGS
Cylinder Material	Mild Steel	
Cartridge Co₂ Filled Weight(L)	2.5	5


WHEELED POWDER FIRE EXTINGUISHER WITH EXTERNAL CO₂ CARTRIDGE



MODEL NO.	RF08-07	RF08-08
Capacity	50KG	100KG
Hose Length	5m	5m
Overall Height	940mm	1156mm
Overall Width	4340mm	5200mm
Tatol Weight	100KGS	170KGS
Cylinder Material	Mild Steel	
Cartridge N₂ Filled Weight(L)	2.5	5

ROGEENA FIRE FIGHTING EQUIPMENT

CO2 CARTRIDGES OF ALUMINIUM ALLOY



Type		250G	280G	300G	500G
Item No.		RF14-01	RF14-02	RF14-03	RF14-04
Out-Diameter(mm)		? 51	? 51	? 60	? 60
Volume(L)		0.38	0.42	0.45	0.75
Cylinder Length(mm)		270	295	275	405
Cylinder Weight(Kg)		0.38	0.42	0.48	0.8
Extinguisher Weight(Kg)		0.75	0.86	0.95	1.5
CO ₂ filled Weight(Kg)		0.25	0.28	0.3	0.5
Working Pressure(Bar)		150	150	150	150
Test Pressure(Bar)		250	250	250	250
Min Wall-Thickness(mm)		2.9	2.9	3.42	3.42
Material		AA6061	AA6061	AA6061	AA6061
Packing Size(cm)	Cylinder	7×7×29	7×7×32	8×8×30	8×8×42
	Complete	7×7×35	7×7×38	8×8×37	8×8×49

ROGEENA FIRE FIGHTING EQUIPMENT


INTERNAL CO₂ CARTRIDGE



Type	40G	55G	75G	90G	110G	120G	140G	150G	175G
Item No.	RF12-01	RF12-02	RF12-03	RF12-04	RF12-05	RF12-06	RF12-07	RF12-08	RF12-09
Out-Diameter(mm)	30	38	38	38	38	38	38	38	38
Volume(L)	0.07	0.095	0.125	0.15	0.185	0.20	0.25	0.25	0.30
Co ₂ filled Weight (g)	40	55	75	90	110	120	140	150	175
Cylinder Length(mm)	170	160	190	220	250	270	300	330	380
Min Wall-Thickness(mm)	2	2	2	2	2	2	2	2	2
Working Pressure(Bar)	150	150	150	150	150	150	150	150	150

ROGEENA FIRE FIGHTING EQUIPMENT

EXTERNAL CO₂ CARTRIDGE



Type	180G	200G	250G	300G	350G	150G	250G	350G
Item No.	RF15-010	RF15-011	RF15-012	RF15-013	RF15-014	RF15-015	RF15-016	RF15-017
Out-Diameter(mm)	? 38	? 44	? 44	? 51	? 51	? 51	? 51	? 51
Volume(L)	0.32	0.35	0.42	0.50	0.60	0.25	0.42	0.60
Co ₂ filled Weight (g)	180	200	250	300	350	150	250	350
Cylinder Length(mm)	390	310	380	390	470	370	420	481
Min Wall-Thickness(mm)	2	2	2	3	3	3	3	3
Working Pressure(Bar)	150	150	150	150	150	150	150	150

ROGEENA FIRE FIGHTING EQUIPMENT


RUBBER LINING FIRE HOST



Type	Specification	Weight (g/m)	Working Pressure	Bursting pressure	Length
C8	40	240	0.8Mpa 8bar 340PSI	≥2.4Mpa 24bar 340PSI	10-30
	45	270			
	50	320			
	65	420			
	70	500			
C10	40	250	1.0Mpa 10bar 140PSI	≥3.0Mpa 30bar 425PSI	
	45	290			
	50	330			
	65	420			
	70	520			
	80	550			
C10	40	280	1.3Mpa 13bar 185PSI	≥3.9Mpa 39bar 555PSI	
	45	310			
	50	380			
	65	480			
	70	550			
	80	600			
	100	900			
150	1000				

ROGEENA FIRE FIGHTING EQUIPMENT


RUBBER LINING FIRE HOST



Type	Specification	Weight (g/m)	Working Pressure	Bursting pressure	Length
13	25	110	1.3Mpa 13bar 185PSI	≥3.9Mpa 39bar 550PSI	100
	40	130			
	45	165			
	50	190			
	65	250			
	70	265			
	80	320			
	90	420			
16	100	490	1.6Mpa 13bar 185PSI	≥3.9Mpa 39bar 550PSI	
	25	120			
	40	160			
	45	180			
	50	210			
	65	270			
	70	290			
	80	350			
20	90	500	2.0Mpa 20bar 270PSI	≥6.0Mpa 60bar 850PSI	
	45	205			
	65	300			
	70	330			
	80	380			
25	90	600	2.5Mpa 25bar 350PSI	≥7.5Mpa 75bar 850PSI	
	45	230			
	65	320			
	70	385			
40	80	420	4.0Mpa 40bar 570PSI	≥8.0Mpa 80bar 1130PSI	
	25	200			
	40	280			

ROGEENA FIRE FIGHTING EQUIPMENT


CARBON DIOXIDE SYSTEM CYLINDERS WITH ACCESSORIES



Model No.	RF40-01	RF40-02
Capacity(L)	70	40
CO2 Weight(kg)	45	25
Weight(kg)	133	85
Working Preusser(Mpa)	15	15
Diameter(mm)	267	219
Height(mm)	1690	1480
Outlet	M30×1.5	M30×1.5
(m)	6	5

ROGEENA FIRE FIGHTING EQUIPMENT

HFC-227(FM200) SYSTEM CYLINDERS WITH ACCESSORIES



Model No.	RF41-01	RF41-02	RF41-03	RF41-04	RF41-05	RF41-06
Capacity(L)	180	150	120	100	90	60
(Mpa)	2.5	2.5	2.5	2.5	2.5	2.5
Diameter(mm)	512	458	407	407	327	327
Height(mm)	1440	1440	1390	1280	1530	1180
Weight(kg)	125	79	68	59	52	41
Outlet	2-M64X2	M64X2	M64X2	M52X2	M52X2	M52X2
Tube Diameter(mm)	65	50	40	40	40	40
(m)	6	5.5	4.5	4	3.5	3
Remained(kg)	<5	<5	<4.5	<5	<3	<3

ROGEENA FIRE FIGHTING EQUIPMENT






BREATHING APPARATUS



ERITRON ART NO:	Working Pressure Mpa	Capacity L	Test Pressure Mpa	Spraying Time Min	Weight Kg	Single Packing Box(CM)
RF-010-27-1	30	5	4~6	50	≤12	70×30×47
RF-010-27-2	30	6	4~6	60	≤14	80×30×48
RF-010-27-3	30	6.8	4~6	60	≤8.5	80×30×48
RF-010-27-4	30	2	4~6	20	≤4	70×30×47

ROGEENA FIRE FIGHTING EQUIPMENT

FIRE ALARM SYSTEM

ITEM	NAME	ART NO	PHOTHO
1	Ionization Smoke Alarm	RF-011-1	
2	Ionization Smoke Alarm	RF-011-2	
3	Optical Smoke Detector	RF-011-3	
4	R.O.R Heat Detector	RF-011-4	
5	Heat Detector Head	RF-011-5	

ROGEENA FIRE FIGHTING EQUIPMENT

FIRE ALARM SYSTEM


ITEM	NAME	ART NO	PHOTHO
6	Combustible Gas Detector	RF-011-6	
7	Ionization Smoke Detector	RF-011-7	
8	Ionization Smoke Detector	RF-011-8	
9	Photoelectronic Smoke – Automatic Fire Detector Head	RF-011-9	
10	Ionization Smoke – Automatic Fire Detector Head	RF-011-10	

ROGEENA FIRE FIGHTING EQUIPMENT


FIRE ALARM SYSTEM

ITEM	NAME	ART NO	PHOTHO
11	Heat Detector Head	RF-011-11	
12	Flash-Lite	RF-011-12	
13	ALARM HORN	RF-011-13	
14	Photoelectronic Smoke – Automatic Fire Detector Head	RF-011-14	
15	Fire Alarm Control Panel	RF-011-15	


ROGEENA FIRE FIGHTING EQUIPMENT




RF-003-1




RF-003-2




RF-003-3



RF-004-33




RF12-27




RF12-26

QUOTATION FOR SAFETY SHOES



ROGEENA FIRE FIGHTING EQUIPMENT

QUOTATION FOR SAFETY SHOES



ROGEENA FIRE FIGHTING EQUIPMENT

ERITRON FIRE-FPOTECTION PRODUCTS



ROGEENA FIRE FIGHTING EQUIPMENT

ABC POWDER EXTINGUISHER VALVE SERIES



ROGEENA FIRE FIGHTING EQUIPMENT

ABC POWDER EXTINGUISHER VALVE SERIES



ROGEENA FIRE FIGHTING EQUIPMENT

ABC POWDER EXTINGUISHER VALVE SERIES



ROGEENA FIRE FIGHTING EQUIPMENT

ABC POWDER EXTINGUISHER VALVE SERIES



ROGEENA FIRE FIGHTING EQUIPMENT

ABC POWDER EXTINGUISHER VALVE SERIES



ROGEENA FIRE FIGHTING EQUIPMENT

ABC POWDER EXTINGUISHER VALVE SERIES



ROGEENA FIRE FIGHTING EQUIPMENT

ESC - 2



CART – DRAGGED FOAM FIRE EXTINGUISHING DEVICE



ROGEENA FIRE FIGHTING EQUIPMENT

Foam Fire Extinguishing Systems



CO₂ Automatic Fire Extinguishing Systems



IG—541 Inert Gas Fire Extinguishing System



FM200 FIRE Extinguishing Systems



ROGEENA FIRE FIGHTING EQUIPMENT

QMF 30 Filtration Gas Mask



Fire Insulation Clothing





**ROGEENA FOR MANUFACTURE FIRE
FIGHTING AND FIRE ALARM SYSTEM**

**Amman – Jordan – Al Moqablen – Tel.4204045 –
Telefax.4204085**

**P .O . Box 510449 Amman – 11151 Jordan
www.rogeenafire.com – mail:-
rogeenafire@next.jo**

This document was created with Win2PDF available at <http://www.daneprairie.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.